

— ABLYBIO, Help Your Research



# NUCB2 Rabbit pAb

货号: **AYP19639**

## 产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:100 - 1:200
理论分子量	50kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,HeLa,Jurkat,SGC-7901
细胞定位	Cytoplasm,Endoplasmic reticulum,Golgi apparatus,Membrane,Nucleus envelope,Peripheral membrane protein,Secreted
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 321-420 of human NUCB2 (NP_005004.1).
------	---

## 靶点信息

研究背景	This gene encodes a protein with a suggested role in calcium level maintenance, eating regulation in the hypothalamus, and release of tumor necrosis factor from vascular endothelial cells. This protein binds calcium and has EF-folding domains.
基因ID	4925
基因名	NUCB2
Swiss	P80303 ( <a href="https://www.uniprot.org/uniprotkb/P80303/entry">https://www.uniprot.org/uniprotkb/P80303/entry</a> )
别名	NUCB2,HEL-S-109,NEFA,NUCB2 Rabbit pAb,DNA-binding protein NEFA,Epididymis secretory protein Li 109, Gastric cancer antigen Zg4,Prepronesfatin

## 产品验证



Western blot analysis of NUCB2 expressed in LO2, HeLa, Jurkat using NUCB2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))