

— ABLYBIO, Help Your Research



MSRA Rabbit pAb

货号: **AYP19704**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	18kDa/21kDa/23kDa/26kDa
实测分子量	26kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney,Rat kidney
细胞定位	Cytoplasm,Lipid-anchor,Membrane,Mitochondrion,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 24-235 of human MSRA (NP_036463.1).
------	---

靶点信息

研究背景	This gene encodes a ubiquitous and highly conserved protein that carries out the enzymatic reduction of methionine sulfoxide to methionine. Human and animal studies have shown the highest levels of expression in kidney and nervous tissue. The protein functions in the repair of oxidatively damaged proteins to restore biological activity. Alternative splicing results in multiple transcript variants.
基因ID	4482
基因名	MSRA
Swiss	Q9UJ68 (https://www.uniprot.org/uniprotkb/Q9UJ68/entry)
别名	MSRA,PMSR,MSRA Rabbit pAb,Peptide-methionine (S)-S-oxide reductase,Protein-methionine-S-oxide reductase

产品验证



Western blot analysis of MSRA expressed in Mouse kidney,Rat kidney using MSRA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)