

TSNAX Rabbit pAb

货号: **AYP19764**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	33kDa
实测分子量	33kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,HeLa,293T,SKOV3,Mouse brain,Mouse testis,Mouse spleen
细胞定位	Cytoplasm,Golgi apparatus,Nucleus,perinuclear region
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-290 of human TSNAX (NP_005990.1).
序列	MSNKEGSGGFRKRKHDNFPHNQRREGKDVNSSSPVMLAFKSFQQLDARHDKYERLVKLSRDITVESKRTIFLLHRITSA PDMEDILTESEIKLDGVRQKIFQVAQELSGEDMHQFHRAITGLQEYVEAVSFQHFQIKTRSLISMDEINKQLIFTTEDNGKEN KTPSSDAQDKQFGTWRLRVTPVDYLLGVADLTGELMRMCINSVGNIDIDTPFEVVSQFLRQVYDGFSGFIGNTGPYEVSKKL YTLKQSLAKVENACYALKVRGSEIPKHMADVFSVKTEMIDQEEGIS

靶点信息

研究背景	This gene encodes a protein which specifically interacts with translin, a DNA-binding protein that binds consensus sequences at breakpoint junctions of chromosomal translocations. The encoded protein contains bipartite nuclear targeting sequences that may provide nuclear transport for translin, which lacks any nuclear targeting motifs.
------	---

基因ID	7257
基因名	TSNAX
Swiss	Q99598
别名	TSNAX;TRAX

产品验证



Western blot analysis of TSNAX expressed in Mouse brain,U-87MG,HeLa using TSNAX Rabbit pAb at 1:1 000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn