

# ARHGAP25 Rabbit pAb

货号: **AYP19781**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:100 <b>IF/ICC:</b> 1:50 - 1:100
理论分子量	51kDa/69kDa/72kDa/73kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	COS-7,OVCAR3
细胞定位	phagocytic cup
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-370 of human ARHGAP25 (NP_001159748.1).
序列	MSLGQSACLFLSIARSRVMTGEQMAAFHPSSTPNPLERPIKMGWLKKQRSIVKNWQQRYFVLRAQQLYYYKDEEDTKP QGCMYLPGCTIKEIATNPPEEAGKFVFEIIPASWDQNRMGQDSYVLMASSQAEMEEWVKFLRRVAGTPCGAVFGQRLDET VAYEQKFGPHLVPILVKCAEFIEHGRNEEGIFRLPGQDNLVKQLRDAFDAGERPSFDRDTRDVTASLLKLYLRDLPEPV VPWSQYEGFLLCGQLTNADEAKAQELMKQLSILPRDNYSLLSYICRFLHEIQLNCAVNMKMSVDNLATVIGVNLIRSKVEDP AVIMRGTPQIQRVMTMMIRDHEVLFPKSKDIPLSPPAQKNDPKKAPVA

## 靶点信息

研究背景	ARHGAPs, such as ARHGAP25, encode negative regulators of Rho GTPases (see ARHA; MIM 165390), which are implicated in actin remodeling, cell polarity, and cell migration (Katoh and Katoh, 2004 [PubMed 15254788]).[supplied by OMIM, Mar 2008]
------	---

基因ID	9938
基因名	ARHGAP25
Swiss	P42331
别名	ARHGAP25;HEL-S-308;KAIA0053

## 产品验证



Western blot analysis of ARHGAP25 expressed in COS-7,OVCAR3 using ARHGAP25 Rabbit pAb at 1:1000 . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)