

— ABLYBIO, Help Your Research



ARHGAP25 Rabbit pAb

货号: **AYP19781**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:100 IF/ICC: 1:50 - 1:100
理论分子量	51kDa/69kDa/72kDa/73kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	COS-7,OVCAR3
细胞定位	phagocytic cup
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-370 of human ARHGAP25 (NP_001159748.1).
------	---

靶点信息

研究背景	ARHGAPs, such as ARHGAP25, encode negative regulators of Rho GTPases (see ARHA; MIM 165390), which are implicated in actin remodeling, cell polarity, and cell migration (Katoh and Katoh, 2004 [PubMed 15254788]).[supplied by OMIM, Mar 2008]
基因ID	9938
基因名	ARHGAP25
Swiss	P42331 (https://www.uniprot.org/uniprotkb/P42331/entry)
别名	ARHGAP25,HEL-S-308,KAIA0053,ARHGAP25 Rabbit pAb,Rho-type GTPase-activating protein 25,KIAA0053

产品验证



Western blot analysis of ARHGAP25 expressed in COS-7, OVCAR3 using ARHGAP25 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)