

MED21 Rabbit pAb

货号: **AYP19807**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	15kDa
实测分子量	16kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,U-87MG,293T,A-549,22Rv1,Mouse liver,Mouse testis
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-144 of human MED21 (NP_004255.2).
序列	MADRLTQLQDAVNSLADQFCNAIGVLQQC GPPASFNNIQTAINKDQPANPTEEYAQLFAALIARTAKDIDVLDLIDSLPSEEST AALQAASLYKLEENHEAATCLEDDVVYRGDMLLEKIQSALADIAQS LKTRSGTHSQSLPDS

靶点信息

研究背景	This gene encodes a member of the mediator complex subunit 21 family. The encoded protein interacts with the human RNA polymerase II holoenzyme and is involved in transcriptional regulation of RNA polymerase II transcribed genes. A pseudogene of this gene is located on chromosome 8. Alternative splicing results in multiple transcript variants.
基因ID	9412

基因名	MED21
Swiss	Q13503
别名	MED21;SRB7;SURB7;hSrb7

产品验证



Western blot analysis of MED21 expressed in Mouse liver, LO2, U-87MG using MED21 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn