

JOSD1 Rabbit pAb

货号: **AYP19863**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	23kDa
实测分子量	27kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,DU145,Mouse liver,Mouse testis,Rat thymus,Rat liver,Rat testis
细胞定位	Cell membrane,Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-202 of human JOSD1 (NP_055691.1).
序列	MSCVPWKGDKAKSESELELPQAAPPQIYHEKQRRELCALHALNNVFQDSNAFTRDTLQEIFQRLSPNTMVTPHKKSMLGN GNYDVNVIMAALQTKGYEAVWWDKRRDVGVIALTNVMGFIMNLPSSLCWGPKLPLKRQHWICVREVGGAYYNLDSKLG MPEWIGGESELRKFLKHHLRGKNCCELLLVPEEVEAHQSWRTDV

靶点信息

研究背景	Deubiquitinates monoubiquitinated probes (in vitro. When ubiquitinated, cleaves 'Lys-63'-linked and 'Lys-48'-linked poly-ubiquitin chains (in vitro, hence may act as a deubiquitinating enzyme. May increase macropinocytosis and suppress clathrin- and caveolae-mediated endocytosis. May enhance membrane dynamics and cell motility independently of its catalytic activity.
基因ID	9929

基因名	JOSD1
Swiss	Q15040
别名	JOSD1;dj508i15.2

产品验证



Western blot analysis of JOSD1 expressed in Mouse liver, Rat thymus, HepG2 using JOSD1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn