

CD64 Rabbit pAb

货号: **AYP19879**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:200
理论分子量	38kDa/42kDa
实测分子量	65-70KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	RAW264.7,Mouse liver,Rat lung
细胞定位	Cell membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 16-288 of human CD64 (NP_000557.1).
序列	QVDTTKAVITLQPPWVSVFQEETVTLHCEVLHLPGSSSTQWFLNGTATQTSTPSYRITSASVNDSGEYRCQRGLSGRSDPI QLEIHRGWLLQVSSRVFTEGEPLALRCHAWKDKLVYNVLYYRNGKAFKFFHWNSNLTKTNISHNGTYHCSGMGKHRY TSAGISVTVKELFPAPVLNASVTSPLLEGNLVTLSCETKLLQRPGLQLYFSFYMGSKTLRGRNTSSEYQILTARREDSGLYW CEAATEDGNVLKRSPELELQVLGLQLPTP

靶点信息

研究背景	This gene encodes a protein that plays an important role in the immune response. This protein is a high-affinity Fc-gamma receptor. The gene is one of three related gene family members located on chromosome 1.
------	---

基因ID	2209
基因名	FCGR1A
Swiss	P12314
别名	FCGR1A;CD64;CD64A;FCRI;IGFR1

产品验证



Western blot analysis of CD64 expressed in RAW264.7, Mouse liver, Rat lung using CD64 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn