

— ABLYBIO, Help Your Research



GGA2 Rabbit pAb

货号: **AYP19887**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	67kDa
实测分子量	72-80kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Raji,MCF7,THP-1,22Rv1,Mouse brain,Mouse kidney
细胞定位	Endosome membrane,Golgi apparatus,Peripheral membrane protein,trans-Golgi network membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human GGA2 (NP_055859.1).
------	--

靶点信息

研究背景	This gene encodes a member of the Golgi-localized, gamma adaptin ear-containing, ARF-binding (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosome. These proteins share an amino-terminal VHS domain which mediates sorting of the mannose 6-phosphate receptors at the trans-Golgi network. They also contain a carboxy-terminal region with homology to the ear domain of gamma-adaptins. This family member may play a significant role in cargo molecules regulation and clathrin-coated vesicle assembly.
基因ID	23062
基因名	GGA2
Swiss	Q9UJY4
别名	GGA2,VEAR,GGA2 Rabbit pAb,Gamma-adaptin-related protein 2,Golgi-localized,gamma ear-containing,ARF-binding protein 2,VHS domain and ear domain of gamma-adaptin,KIAA1080

产品验证



Western blot analysis of GGA2 expressed in Mouse brain,HepG2,Raji using GGA2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)