

— ABLYBIO, Help Your Research



MAP3K14 Rabbit pAb

货号: **AYP19954**

产品信息

反应	Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	104kDa
实测分子量	125KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Rat lung
细胞定位	Cytoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 330-662 of human MAP 3K14 (NP_003945.2).
------	--

靶点信息

研究背景	This gene encodes mitogen-activated protein kinase kinase kinase 14, which is a serine/threonine protein -kinase. This kinase binds to TRAF2 and stimulates NF-kappaB activity. It shares sequence similarity with several other MAPKK kinases. It participates in an NF-kappaB-inducing signalling cascade common to receptors of the tumour-necrosis/nerve-growth factor (TNF/NGF) family and to the interleukin-1 type-I receptor.
基因ID	9020
基因名	MAP3K14
Swiss	Q99558 (https://www.uniprot.org/uniprotkb/Q99558/entry)
别名	MAP3K14,FTDCR1B,HS,HSNIK,NIK,MAP3K14 Rabbit pAb,NF-kappa-beta-inducing kinase,Serine/threonine-protein kinase NIK

产品验证



Western blot analysis of MAP3K14 expressed in Rat lung using MAP3K14 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)