

ACBD5 Rabbit pAb

货号: AYP20048

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	46kDa/54kDa/58kDa/60kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	HeLa, LO2, Jurkat, A-549, MCF7
细胞定位	Peroxisome membrane, Single-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 170-440 of human ACBD5 (NP_663736.2).
序列	TSTPNAKTVNGKAESSDGAEESEEEEAQEEVKGAEQSDNDKMMKKSADHKNLEVIVTNGYDKDGFVQDIQNDIHASS SLNGRSTEEVKPIDENLGQTGKSAVCIHQDINDDHVEDVTGIQHLTSDSDSEVYCDSEMEQFGQEEESLDSFTSNNGPFQY YLGGHSSQPMENSGFREDIQVPPGNGNIGNMQVVAVEGKGEVKHGGEDGRNNSGAPHREKRGGGETDEFSNVRGRG HRMQHLSEGTKGRQVGSDDGERWGS DRGSRGSLNEQI

靶点信息

研究背景	This gene encodes a member of the acyl-Coenzyme A binding protein family, known to function in the transport and distribution of long chain acyl-Coenzyme A in cells. This gene may play a role in the differentiation of megakaryocytes and formation of platelets. A related protein in yeast is involved in autophagy of peroxisomes. A mutation in this gene has been associated with autosomal dominant thrombocytopenia. Alternative splicing results in multiple transcript variants.
------	--

基因ID	91452
基因名	ACBD5
Swiss	Q5T8D3
别名	ACBD5

产品验证



Western blot analysis of ACBD5 expressed in HeLa, LO2, Jurkat using ACBD5 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn