

— ABLYBIO, Help Your Research



CHFR Rabbit pAb

货号: **AYP20093**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	63kDa/69kDa/72kDa/73kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-1080,22Rv1,HepG2,Mouse kidney,Mouse testis
细胞定位	Nucleus,PML body
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-290 of human CHFR (NP_001154818.1).
------	---

靶点信息

研究背景	This gene encodes an E3 ubiquitin-protein ligase required for the maintenance of the antephasic checkpoint that regulates cell cycle entry into mitosis and, therefore, may play a key role in cell cycle progression and tumorigenesis. The encoded protein has an N-terminal forkhead-associated domain, a central RING-finger domain, and a cysteine-rich C-terminal region. Alternatively spliced transcript variants that encode different protein isoforms have been described.
基因ID	55743
基因名	CHFR
Swiss	Q96EP1 (https://www.uniprot.org/uniprotkb/Q96EP1/entry)
别名	CHFR,RNF116,RNF196,CHFR Rabbit pAb,Checkpoint with forkhead and RING finger domains protein,RING finger protein 196,RING-type E3 ubiquitin transferase CHFR

产品验证



Western blot analysis of CHFR expressed in Mouse kidney,HT-1080,22Rv1 using CHFR Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)