

— ABLYBIO, Help Your Research



ENC1 Rabbit pAb

货号: **AYP20151**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	57kDa/66kDa
实测分子量	66kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,U-87MG,SW480,MCF7,HT-1080,Mouse brain,Rat brain
细胞定位	Cytoplasm,Nucleus matrix,cytoskeleton
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-270 of human ENC1 (NP_003624.1).
------	--

靶点信息

研究背景	This gene encodes a member of the kelch-related family of actin-binding proteins. The encoded protein plays a role in the oxidative stress response as a regulator of the transcription factor Nrf2, and expression of this gene may play a role in malignant transformation. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	8507
基因名	ENC1
Swiss	O14682 (https://www.uniprot.org/uniprotkb/O14682/entry)
别名	ENC1,CCL28,ENC-1,KLHL35,KLHL37,NRPB,PIG10,TP53I10,ENC1 Rabbit pAb,Kelch-like protein 37,Nuclear matrix protein NRP/B,p53-induced gene 10 protein

产品验证



Western blot analysis of ENC1 expressed in Mouse brain,Rat brain,Jurkat using ENC1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)