

# IKBKAP Rabbit pAb

货号: **AYP20198**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:1000 - 1:4000 <b>IHC:</b> 1:50 - 1:200
理论分子量	150kDa
实测分子量	150kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HepG2,U-251MG,HL-60,Mouse liver,Rat liver
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1093-1332 of human IKBKAP (NP_003631.2).
序列	LRLVYKYNRLDIIETNVKPSILEAQKNYMAFLDSQTATFSRHKKRLLVRELKEQAQQAGLDDEVPHGQESDLFSETSSVVS GSEMSGKYSHSNSRISARSSKNRRKAERKKHSLKEGSPLEDLALLEALSEVVQNTENLKDEVYHILKVLFLEFDEQGRELQ KAFEDTLQLMERSLPEIWTLYQQNSATPVLGPNSTANSIMASYQQQKTSVPVLD AELFIPPKINRRTQWKLSLLD

## 靶点信息

研究背景	The protein encoded by this gene is a scaffold protein and a regulator for three different kinases involved in proinflammatory signaling. The encoded protein can bind NF-kappa-B-inducing kinase and I-kappa-B kinases through separate domains and assemble them into an active kinase complex. Mutations in this gene have been associated with familial dysautonomia. Alternative splicing results in multiple transcript variants encoding different isoforms.
------	---

基因ID	8518
基因名	IKBKAP
Swiss	O95163
别名	IKBKAP;DYS;ELP1;FD;IKAP;IKI3;TOT1

## 产品验证



Western blot analysis of IKBKAP expressed in Mouse liver, Rat liver, HeLa using IKBKAP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)