

— ABLYBIO, Help Your Research



HGFAC Rabbit pAb

货号: **AYP20208**

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 70kDa |
| 实测分子量 | 75kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | LO2,BT-474,SW620,Mouse liver,Mouse pancreas,Rat liver |
| 细胞定位 | Secreted |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 408-655 of human HGFA C (NP_001519.1). |
|------|--|

靶点信息

| | |
|-------|---|
| 研究背景 | This gene encodes a member of the peptidase S1 protein family. The encoded protein is first synthesized as an inactive single-chain precursor before being activated to a heterodimeric form by endoproteolytic processing. It acts as serine protease that converts hepatocyte growth factor to the active form. Alternative splicing results in multiple transcript variants. |
| 基因ID | 3083 |
| 基因名 | HGFAC |
| Swiss | Q04756 (https://www.uniprot.org/uniprotkb/Q04756/entry) |
| 别名 | HGFAC,HGFA,HGFAC Rabbit pAb,Serine protease HGFAC |

产品验证



Western blot analysis of HGFAC expressed in Mouse liver,Rat liver,LO2 using HGFAC Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)