

UPK3A Rabbit pAb

货号: **AYP20239**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:200
理论分子量	17kDa/30kDa
实测分子量	30kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HL-60,Mouse brain,Mouse kidney,Rat kidney
细胞定位	Endoplasmic reticulum membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 19-207 of human UPK3A (NP_008884.1).
序列	VNLQPQLASVTFATNNPTLTTVALEKPLCMFDSKEALTGTHEVYLYVLVDSAISRNASVQDSTNTPLGSTFLQTEGGRTGP YKAVAFDLIPCSLDLPSLDAIGDVSKASQILNAYLVRVGGANGTCLWDPNFQGLCNAPLSAATEYRFKYVLVNMSTGLVEDQT LWSDPIRTNQLTPYSTIDTWPGRSSG

靶点信息

研究背景	This gene encodes a member of the uroplakin family, a group of transmembrane proteins that form complexes on the apical surface of the bladder epithelium. Mutations in this gene may be associated with renal adysplasia. Alternatively spliced transcript variants have been described.
基因ID	7380

基因名	UPK3A
Swiss	O75631
别名	UPK3A;UP3A;UPIII;UPIIIA;UPK3

产品验证



Western blot analysis of UPK3A expressed in Mouse brain,Rat kidney,HeLa using UPK3A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane . Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn