

MSH6 Rabbit pAb

货号: **AYP20260**

产品信息

反应	Human,Mouse,Rat,Monkey
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:20 - 1:100
理论分子量	119kDa/120kDa/137kDa/152kDa
实测分子量	150KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Mouse thymus,Rat lung
细胞定位	Chromosome,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human MSH6 (NP_000170.1).
序列	MSRQSTLYSFFPKSPALSDANKASARASREGGAAAAAPGASPSGGDAAWSEAGPGPRPLARSASPPKAKNLNGGLRRS VAPAAPTSCDFSPGDLVWAKM

靶点信息

研究背景	This gene encodes a member of the DNA mismatch repair MutS family. In <i>E. coli</i> , the MutS protein helps in the recognition of mismatched nucleotides prior to their repair. A highly conserved region of approximately 150 aa, called the Walker-A adenine nucleotide binding motif, exists in MutS homologs. The encoded protein heterodimerizes with MSH2 to form a mismatch recognition complex that functions as a bidirectional molecular switch that exchanges ADP and ATP as DNA mismatches are bound and dissociated. Mutations in this gene may be associated with hereditary nonpolyposis colon cancer, colorectal cancer, and endometrial cancer. Transcripts variants encoding different isoforms have been described.
基因ID	2956
基因名	MSH6
Swiss	P52701
别名	MSH6;GTBP;GTMBP;HNPCC5;HSAP;p160

产品验证



Western blot analysis of MSH6 expressed in Mouse testis, Mouse thymus, Rat lung using MSH6 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn