

— ABLYBIO, Help Your Research



# NR4A2 Rabbit pAb

货号: **AYP20472**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	59kDa/66kDa
实测分子量	67KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,Raji,SH-SY5Y,Mouse brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 90-170 of human NR4A 2 (NP_006177.1).
------	---

## 靶点信息

研究背景	This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. The encoded protein may act as a transcription factor. Mutations in this gene have been associated with disorders related to dopaminergic dysfunction, including Parkinson disease, schizophrenia, and manic depression. Misregulation of this gene may be associated with rheumatoid arthritis. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.
基因ID	4929
基因名	NR4A2
Swiss	P43354 ( <a href="https://www.uniprot.org/uniprotkb/P43354/entry">https://www.uniprot.org/uniprotkb/P43354/entry</a> )
别名	NR4A2,HZF-3,NOT,NURR1,RNR1,TINUR,NR4A2 Rabbit pAb,Immediate-early response protein NOT,Orphan nuclear receptor NURR1,Transcriptionally-inducible nuclear receptor

## 产品验证



Western blot analysis of NR4A2 expressed in Mouse brain, HeLa, Jurkat using NR4A2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)