

FOXG1 Rabbit pAb

货号: **AYP20548**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:100
理论分子量	52kDa
实测分子量	52KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,SH-SY5Y,Mouse brain,Mouse spleen,Rat brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 400-489 of human FOXG1 (NP_005240.3).
序列	YSLNPCSVNLLAGQTSYFFPHVPHSMTSQSSTSMSARAASSSTSPQAPSTLPCESLRPSLPSFTTGLSGGLSDYFTHQNQ GSSSNPLIH

靶点信息

研究背景	This locus encodes a member of the forked-head transcription factor family. The encoded protein, which functions as a repressor, may play a role in brain development. Mutations at this locus have been associated with Rett syndrome.
基因ID	2290

基因名	FOXG1
Swiss	P55316
别名	FOXG1;BF1;BF2;FHKL3;FKH2;FKHL1;FKHL2;FKHL3;FKHL4;FOXG1A;FOXG1B;FOXG1C;HBF-1;HBF-2;HBF-3;HBF-G2;HBF2;HFK1;HFK2;HFK3;KHL2;QIN

产品验证



Western blot analysis of FOXG1 expressed in Mouse brain,Rat brain,293T using FOXG1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn