

# BRPF1 Rabbit pAb

货号: AYP20629

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	
实测分子量	151kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis
细胞定位	cytoplasm,cytosol,histone acetyltransferase complex,nucleoplasm,nucleus,plasma membrane
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human BRPF1 (NP_001003694).
序列	MGVDFDVKTFCHNLRATKPPYECPVETCRKVYKSYSGIEYHLYHYDHDNPPPPQQTPLRKHKKKGRQSRPANKQSPSPSEVSQSPGREVMSSYAQAQRMVEVDLHGRVHRISIFDNLDDVSEDEEAPEEAPENGSNKENTETPAATPKSGKHKNKEKRKDSNHHHHHNVSASTTPKLPEVVYRELEQDTPDAPPRPTSYYR

## 靶点信息

研究背景	This gene encodes a bromodomain, PHD finger and chromo/Tudor-related Pro-Trp-Trp-Pro (PWWP) domain containing protein. The encoded protein is a component of the MOZ/MORF histone acetyltransferase complexes which function as a transcriptional regulators. This protein binds to the catalytic MYST domains of the MOZ and MORF proteins and may play a role in stimulating acetyltransferase and transcriptional activity of the complex. Alternative splicing results in multiple transcript variants.
------	---

基因ID	7862
基因名	BRPF1
Swiss	P55201
别名	BRPF1;BR140;IDDDFP;peregrin

## 产品验证



Western blot analysis of BRPF1 expressed in Mouse testis using BRPF1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)