

# REEP2 Rabbit pAb

货号: **AYP20688**

## 产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	28kDa
实测分子量	28kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	RD,Mouse brain,Mouse testis,Rat testis
细胞定位	cytoplasmic microtubule,endoplasmic reticulum,plasma membrane
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 93-252 of human REEP2 (NP_057690.2).
序列	HP T L S N K E K E I D E Y I T Q A R D K S Y E T M M R V G K R G L N L A A N A A V T A A A K G V L S E K L R S F S M Q D L T L I R D E D A L P L Q R P D G R L R P S P G S L L D T I E D L G D D P A L S L R S S T N P A D S R T E A S E D D M G D K A P K R A K P I K K A P K A E P L A S K T L K T R P K K K T S G G G D S A

## 靶点信息

研究背景	This gene encodes a member of the receptor expression enhancing protein family. Studies of a related gene in mouse suggest that the encoded protein is found in the cell membrane and enhances the function of sweet taste receptors. Alternative splicing results in multiple transcript variants.
基因ID	51308

基因名	REEP2
Swiss	Q9BRK0
别名	REEP2;C5orf19;SGC32445;SPG72;Yip2d

## 产品验证



Western blot analysis of REEP2 expressed in Mouse brain,Rat testis,RD using REEP2 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blotting buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)