

— ABLYBIO, Help Your Research



# PRKCDBP Rabbit pAb

货号: **AYP20746**

## 产品信息

反应	Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	27kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Rat heart
细胞定位	Cytoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 75-160 of human PRKCDBP (NP_659477.2).
------	--

## 靶点信息

研究背景	The protein encoded by this gene was identified as a binding protein of the protein kinase C, delta (PRKC D). The expression of this gene in cultured cell lines is strongly induced by serum starvation. The expression of this protein was found to be down-regulated in various cancer cell lines, suggesting the possible tumor suppressor function of this protein.
基因ID	112464
基因名	CAVIN3
Swiss	Q969G5 ( <a href="https://www.uniprot.org/uniprotkb/Q969G5/entry">https://www.uniprot.org/uniprotkb/Q969G5/entry</a> )
别名	CAVIN3,HSRBC,PRKCDBP,SRBC,cavin-3,PRKCDBP Rabbit pAb,Protein kinase C delta-binding protein,Serum deprivation response factor-related gene product that binds to C-kinase

## 产品验证



Western blot analysis of PRKCDBP expressed in Rat heart using PRKCDBP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)