

— ABLYBIO, Help Your Research



MAP3K11 Rabbit pAb

货号: **AYP20822**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	65kDa/92kDa
实测分子量	93kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse thymus
细胞定位	centrosome, cytosol
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 140-260 of human MAP3K11 (NP_002410.1).
------	---

靶点信息

研究背景	The protein encoded by this gene is a member of the serine/threonine kinase family. This kinase contains a SH3 domain and a leucine zipper-basic motif. This kinase preferentially activates MAPK8/JNK kinase, and functions as a positive regulator of JNK signaling pathway. This kinase can directly phosphorylate, and activates I κ B kinase alpha and beta, and is found to be involved in the transcription activity of NF- κ B mediated by Rho family GTPases and CDC42.
基因ID	4296
基因名	MAP3K11
Swiss	Q16584 (https://www.uniprot.org/uniprotkb/Q16584/entry)
别名	MAP3K11,MEKK11,MLK-3,MLK3,PTK1,SPRK,MAP3K11 Rabbit pAb,Mixed lineage kinase 3,Src-homology 3 domain-containing proline-rich kinase

产品验证



Western blot analysis of MAP3K11 expressed in Mouse thymus using MAP3K11 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)