

TNFAIP1 Rabbit pAb

货号: **AYP20905**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	24kDa/36kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	K-562
细胞定位	cytoplasm,cytosol,endosome,nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 90-160 of human TNFAIP1 (NP_066960.1).
序列	DTITLPQNRQEIKELMAEAKYYLIQGLVNMCSALQDKKDSYQPVCNIPITSLKEERLIESSTKPVVKL

靶点信息

研究背景	This gene was identified as a gene whose expression can be induced by the tumor necrosis factor alpha (TNF) in umbilical vein endothelial cells. Studies of a similar gene in mouse suggest that the expression of this gene is developmentally regulated in a tissue-specific manner. [provided by RefSeq, Jul 2008]
基因ID	7126
基因名	TNFAIP1

Swiss	Q13829
别名	B12;B61;BTBD34;EDP1;hBACURD2;TNFAIP1

产品验证



Western blot analysis of TNFAIP1 expressed in K-562 using TNFAIP1 Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn