

— ABLYBIO, Help Your Research



# ZNF143 Rabbit pAb

货号: **AYP20911**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	65kDa/68kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,HepG2,Mouse spleen,Mouse liver,Rat testis,Rat liver
细胞定位	nucleoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 437-638 of human ZNF143 (NP_003433.3).
------	--

## 靶点信息

研究背景	Transcriptional activator. Activates the gene for selenocysteine tRNA (tRNA <sup>Sec</sup> ). Binds to the SPH motif of small nuclear RNA (snRNA) gene promoters. Participates in efficient U6 RNA polymerase III transcription via its interaction with CHD8.
基因ID	7702
基因名	ZNF143
Swiss	P52747 ( <a href="https://www.uniprot.org/uniprotkb/P52747/entry">https://www.uniprot.org/uniprotkb/P52747/entry</a> )
别名	SBF,STAF,pHZ-1,ZNF143,ZNF143 Rabbit pAb,SPH-binding factor,Selenocysteine tRNA gene transcription-activating factor

## 产品验证



Western blot analysis of ZNF143 expressed in Mouse spleen, Rat testis, U-87MG using ZNF143 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))