

FAM120A Rabbit pAb

货号: **AYP20990**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	68kDa/71kDa/117kDa/121kDa/125kDa
实测分子量	122kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,HeLa
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-140 of human FAM120A (NP_055427.2).
序列	MGVQGFQDYIEKHCPsAVVPVELQKLARGSLVGGGRQRPPQTPLRLLVDADNCLHRLYGGFYTDWVSGGQWNHMLGYLAALAKACFGGNIELFVFFNGALEKARLHEWVKRQGNERQTAQQIVSHVQNKGT PPPKVWFLP

靶点信息

研究背景	May participate in mRNA transport in the cytoplasm (By similarity. Critical component of the oxidative stress-induced survival signaling. Activates src family kinases and acts as a scaffolding protein enabling src family kinases to phosphorylate and activate PI3-kinase. Binds RNA and promotes the secretion of IGF-II. May play a pivotal role in the progression of scirrhou-type gastric cancer by supporting cancer cell survival in environments with various oxidative stresses.
基因ID	23196

基因名	FAM120A
Swiss	Q9NZB2
别名	C9orf10;HBVPTPAP;OSSA;FAM120A;DNAPTP1;DNAPTP5

产品验证



Western blot analysis of FAM120A expressed in U-87MG, HeLa using FAM120A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn