

WAC Rabbit pAb

货号: **AYP21021**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	
实测分子量	71kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HepG2,Mouse testis,Mouse brain,Rat brain
细胞定位	nuclear speck,nucleoplasm,nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-320 of human WAC (N P_057712.2).
序列	MVMYARKQQLSDGCHDRRGDSQPYQALKYSSKSHPSGGDHRHEKMRDAGDPSPNKMLRRSDSPENKYSDSTGHS KAKNVHTRVRERDGGTSYSPQENSHNHSALHSSNSHSSNPSNPKTSDAPYDSADDWSEHISSSGKKYYNCRTEV SQWEKPKEWLEREQRQKEANKMAVNSFPKDRDYRREVMQATATSGFASGMEDKHSSDASSLLPQNILSQTSRHNDRD YRLPRAETHSSSTPVQHPIKPVVHPTATPSTVPSSPFTLQSDHQPKKSFDFANGASTLSKLPPTSSVPAQKTERKESTSGD KPVSHSCT

靶点信息

研究背景	The protein encoded by this gene contains a WW domain, which is a protein module found in a wide range of signaling proteins. This domain mediates protein-protein interactions and binds proteins containing short linear peptide motifs that are proline-rich or contain at least one proline. This gene product shares 94% sequence identity with the WAC protein in mouse, however, its exact function is not known. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2008]
------	---

基因ID	51322
基因名	WAC
Swiss	Q9BTA9
别名	BM-016;DESSH;PRO1741;Wwp4;WAC

产品验证



Western blot analysis of WAC expressed in Mouse testis,Rat brain,293T using WAC Rabbit pAb at 1:1000 . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn