

— ABLYBIO, Help Your Research



CHST12 Rabbit pAb

货号: **AYP21038**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	
实测分子量	48kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse heart
细胞定位	Golgi apparatus membrane ; Single-
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 193-414 of human CHST 12 (NP_061111.1).
------	---

靶点信息

研究背景	The protein encoded by this gene belongs to the sulfotransferase 2 family. It is localized to the golgi membrane, and catalyzes the transfer of sulfate to position 4 of the N-acetylgalactosamine (GalNAc) residue of chondroitin and desulfated dermatan sulfate. Chondroitin sulfate constitutes the predominant proteoglycan present in cartilage, and is distributed on the surfaces of many cells and extracellular matrices. Alternatively spliced transcript variants differing only in their 5' UTRs have been found for this gene. [provided by RefSeq, Aug 2011]
基因ID	55501
基因名	CHST12
Swiss	Q9NRB3 (https://www.uniprot.org/uniprotkb/Q9NRB3/entry)
别名	C4S-2,C4ST-2,C4ST2,CHST12,CHST12 Rabbit pAb,Chondroitin 4-O-sulfotransferase 2,Chondroitin 4-sulfotransferase 2,Sulfotransferase Hlo

产品验证



Western blot analysis of CHST12 expressed in Mouse heart using CHST12 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)