

Cyclin Y Rabbit pAb

货号: **AYP21135**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	33kDa/36kDa/39kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,C6
细胞定位	cytoplasmic cyclin-dependent protein kinase holoenzyme complex,nucleus,plasma membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 60-120 of human CCNY (NP_859049.2).
序列	PNLKYTIKCVLAIYYHIKNRDPDGRMLLDIFDENLHPLSKSEVPPDYDKHNPEQKQIYRF

靶点信息

研究背景	Cyclins, such as CCNY, control cell division cycles and regulate cyclin-dependent kinases (e.g., CDC2; MI M 116940) (Li et al., 2009 [PubMed 18060517]).[supplied by OMIM, May 2009]
基因ID	219771
基因名	CCNY

Swiss	Q8ND76
别名	C10orf9;CBCP1;CCNX;CFP1;CCNY;cyclin-Y

产品验证



Western blot analysis of Cyclin Y expressed in Mouse brain,C6 using Cyclin Y Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn