

VWC2 Rabbit pAb

货号: **AYP21142**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 28-134 of human VWC2 (NP_796007.1).
序列	SPSIPLEKLAQAPEQPGQEKREHASRDSPGRVSELGRASRDEGSSARDWKS KGSRALSGREAWSKQKQAWAAQGGSA KAADWQVRPRGDT PQGEPPAAAQE AISLEL

靶点信息

研究背景	Involved in negative regulation of BMP signaling pathway and positive regulation of neuron differentiation . Acts upstream of or within positive regulation of cell-substrate adhesion. Located in basement membrane; extracellular space; and interstitial matrix. Part of AMPA glutamate receptor complex. Is expressed in alimentary system; blood vessel; and nervous system. Orthologous to human VWC2 (von Willebrand factor C domain containing 2).
基因ID	319922

基因名	
Swiss	
别名	A930041G11Rik;G11;PSST739;UNQ739;cradin;VWC2

产品验证



Western blot analysis of VWC2 expressed in Mouse brain,Rat brain using VWC2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn