

— ABLYBIO, Help Your Research



MSL1 Rabbit pAb

货号: **AYP21147**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	
实测分子量	80kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	K-562,Mouse testis,Rat testis,Rat brain
细胞定位	nuclear speck,nucleoplasm,nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 210-300 of human MSL1 (NP_001012241).
------	---

靶点信息

研究背景	Component of histone acetyltransferase complex responsible for the majority of histone H4 acetylation at 'Lys-16' (H4K16ac which is implicated in the formation of higher-order chromatin structure. Greatly enhances MSL2 E3 ubiquitin ligase activity, promoting monoubiquitination of histone H2B at 'Lys-34' (H2BK34Ub. This modification in turn stimulates histone H3 methylation at 'Lys-4' (H3K4me and 'Lys-79' (H3K79me and leads to gene activation, including that of HOXA9 and MEIS1. In the MSL complex, acts as a scaffold to tether MSL3 and KAT8 together for enzymatic activity regulation.
基因ID	339287
基因名	MSL1
Swiss	Q68DK7 (https://www.uniprot.org/uniprotkb/Q68DK7/entry)
别名	MSL-1,hMSL1,MSL1,MSL1 Rabbit pAb,Male-specific lethal 1-like 1,Male-specific lethal-1 homolog 1,MSL1L1

产品验证



Western blot analysis of MSL1 expressed in Mouse testis,Rat testis,K-562 using MSL1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)