

— ABLYBIO, Help Your Research



BRINP3 Rabbit pAb

货号: **AYP21187**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	88kDa
实测分子量	88kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,Mouse brain
细胞定位	dendrite,endoplasmic reticulum,extracellular region,mitochondrion
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 240-500 of human BRINP3 (NP_950252.1).
------	--

靶点信息

研究背景	This gene is overexpressed in pituitary tumors but is underexpressed in tongue squamous cell carcinoma s, ulcerative colitis, and peri-implantitis. Polymorphisms that increase expression of this gene have been shown to increase vascular inflammation, and an association of this gene with myocardial infarction has been demonstrated. Finally, hypermethylation of this gene may find usefulness as a biomarker for gastric cancer. Two transcript variants encoding different isoforms have been found for this gene.
基因ID	339479
基因名	BRINP3
Swiss	Q76B58 (https://www.uniprot.org/uniprotkb/Q76B58/entry)
别名	FAM5C,DBCCR1L,DBCCR1L1,BRINP3,BRINP3 Rabbit pAb,DBCCR1-like protein 1

产品验证



Western blot analysis of BRINP3 expressed in U-251MG, Mouse brain using BRINP3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)