

FKBP10 Rabbit pAb

货号: **AYP21480**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	38kDa/64kDa
实测分子量	75KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Endoplasmic reticulum lumen
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 303-582 of human FKBP 10 (NP_068758.3).
序列	FDSSYSRNHTYNTYIGQGYIIPGMDQGLQGACMGERRRITIPPHLAYGENGTGDKIPGSAVLIFNVHVIDFHNPADVVEIRTL SRPSETCNETTKLGDFVRYHYNCSSLDGTQLFTSHDYGAPQEATLGANKVIEGLDTGLQGMCVGERRQLIVPPHLAHGES GARGVPGSAVLLFEVELVSREDGLPTGYLFWHKDPPANLFDMDLNKDGEPPEEFSTFIKAQVSEGKGRMLMPGQDPE KTIGDMFQNQDRNQDGKITVDELKLSDEDEERVHEEL

靶点信息

研究背景	The protein encoded by this gene belongs to the FKBP-type peptidyl-prolyl cis/trans isomerase (PPIase) family. This protein localizes to the endoplasmic reticulum and acts as a molecular chaperone. Alternatively spliced variants encoding different isoforms have been reported, but their biological validity has not been determined.
------	---

基因ID	60681
基因名	FKBP10
Swiss	Q96AY3
别名	FKBP10;BRKS1;FKBP65;OI11;OI6;PPIASE;hFKBP65

产品验证



Western blot analysis of FKBP10 expressed in 293T using FKBP10 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn