

TWF2 Rabbit pAb

货号: **AYP21515**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	39kDa
实测分子量	40KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Cell projection,Cytoplasm,cytoskeleton,perinuclear region,stereocilium
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-369 of human TWF2 (NP_009215.1).
序列	MAHQGTGIHATEELKEFFAKARAGSVRLIKVVIIEQLVLGASQEPVGRWDQDYDRAVLPLLDAQQPCYLLYRLDSQNAQQ FEWLFRAWSPDNPNVRLKMLYAATRATVKKEFGGGHIKDELFGTVKDDLSFAGYQKHLSSCAAPAPLTAERELQQIRINE VKTEISVESKHQTLQGLAFPLQPEAQRALQQLKQKMNVIQMKLDLERETIELVHTEPTDVAQLPSRVPRDAARYHFFLYKH THEGDPLESVVFIYSMPGYKCSIKERMLYSSCKSRLDLSVEQDFHLEIAKKIEIGDGAELTAEFLYDEVHPKQHAFKQAFKPK KGPGGKRGHKRLIRGPGENGDDS

靶点信息

研究背景	The protein encoded by this gene was identified by its interaction with the catalytic domain of protein kinase C-zeta. The encoded protein contains an actin-binding site and an ATP-binding site. It is most closely related to twinfilin (PTK9), a conserved actin monomer-binding protein.
------	---

基因ID	11344
基因名	TWF2
Swiss	Q6IBS0
别名	TWF2;A6RP;A6r;MSTP011;PTK9L

产品验证



Western blot analysis of TWF2 expressed in 293T using TWF2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn