

HMG20B Rabbit pAb

货号: AYP21554

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:200 - 1:2000 |
| 理论分子量 | 24kDa/32kDa/35kDa |
| 实测分子量 | 36KDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | 293T |
| 细胞定位 | Chromosome,Nucleus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|---|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 1-317 of human HMG20 B (NP_006330.2). |
| 序列 | MSHGPKQPGAAAAPAGGKAPGQHGGFVTVKQERGEGPRAGEKGSHEEEPVKKRGWPKGKKRKKILPNGPKAPVTGY VRFLNERREQIRTRHPDLPFPEITKMLGAEWSKLQPTKQRYLDEAEREKQYMKELRAYQQSEAYKMCTEKIQEKKIKED SSSGLMNTLLNGHKGGDCDGFSTFDVPIFTEEFLDQNKAREAELRRLRKMNVAFEEQNAVLQRHTQSMSSARERLEQEL ALEERRTLALQQQLQAVRQALTASFASLPVPGTGETPTLGLTDFYMARLHGAIERDPAQHEKLIVRIKEILAQVASEHL |

靶点信息

| | |
|------|---|
| 研究背景 | Required for correct progression through G2 phase of the cell cycle and entry into mitosis. Required for R COR1/CoREST mediated repression of neuronal specific gene promoters. |
| 基因ID | 10362 |

| | |
|-------|---|
| 基因名 | HMG20B |
| Swiss | Q9P0W2 |
| 别名 | HMG20B;BRAF25;BRAF35;HMGX2;HMGXB2;PP7706;SMARCE1r;SOXL;pp8857 |

产品验证



Western blot analysis of HMG20B expressed in 293T using HMG20B Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn