

AIP Rabbit pAb

货号: **AYP21569**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	37kDa
实测分子量	35KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-330 of human AIP (NP_003968.3).
序列	MADIIARLREDGIQKRVIQEGRGELPDFQDGTKATFHRYRTLHSDDEGTVLDDSRARGKPMELIIGKKFKLPVWETIVCTMRE GEIAQFLCDIKHVLYPLVAKSLRNIAVGKDPLEGQRHCCGVAQMREHSSLGHADLDALQQNPQPLIFHMEMLKVESPGT YQQDPWAMTDEEKAKAVPLIHQEGNRLYREGHVKEAAAKYYDAIACLKNLQMKEQPGSPEWIQLDQQITPLLLNYCQCKL VVEEYEVLDHCSSILNKYDDNVKAYFKRGKAHAAVWNAQEAQADFAKVLLEDPALAPVVSRELRALEARIRQKDEEDKA RFRGIFSH

靶点信息

研究背景	The protein encoded by this gene is a receptor for aryl hydrocarbons and a ligand-activated transcription factor. The encoded protein is found in the cytoplasm as part of a multiprotein complex, but upon binding of ligand is transported to the nucleus. This protein can regulate the expression of many xenobiotic metabolizing enzymes. Also, the encoded protein can bind specifically to and inhibit the activity of hepatitis B virus. Three transcript variants encoding different isoforms have been found for this gene.
------	---

基因ID	9049
基因名	AIP
Swiss	O00170
别名	AIP;ARA9;FKBP16;FKBP37;SMTPHN;XAP-2;XAP2

产品验证



Western blot analysis of AIP expressed in HeLa using AIP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn