

# TRIM66 Rabbit pAb

货号: **AYP21628**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	
实测分子量	135kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SGC-7901,293T
细胞定位	nucleoplasm
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 750-970 of human TRIM 66 (NP_055633.1).
序列	LATCPLQSIPPVSDMQPETGSSSSSGRTSGSLCPRDGADPSLENALCKVKLEEPINLSVKKPPLAPVVSTSTALQQYQNPKE CENFEQGALELDAKENQSIRAFNSEHKIPYVRLERLKICAASSGEMPVFKLKPQKNDQDGSFLLIIECGTESSMSIKVSQD RLSEATQAPGLEGRKVTVTSLAGQRPPEVEGTSPEEHRLIPRTPGAKKGPPAPIENE

## 靶点信息

研究背景	May function as transcription repressor; The repressive effects are mediated, at least in part, by recruitment of deacetylase activity. May play a role as negative regulator of postmeiotic genes acting through CB X3 complex formation and centromere association (By similarity).
基因ID	9866

基因名	TRIM66
Swiss	O15016
别名	C11orf29;TIF1D;TIF1DELTA;TRIM66

## 产品验证



Western blot analysis of TRIM66 expressed in SGC-7901,293T using TRIM66 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)