

— ABLYBIO, Help Your Research



POU3F2 Rabbit pAb

货号: **AYP21653**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	26kDa/28kDa/46kDa
实测分子量	55KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,HepG2,Jurkat
细胞定位	nucleoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-68 of human POU3F2 (NP_005595.2).
------	---

靶点信息

研究背景	This gene encodes a member of the POU-III class of neural transcription factors. The encoded protein is involved in neuronal differentiation and enhances the activation of corticotropin-releasing hormone regulated genes. Overexpression of this protein is associated with an increase in the proliferation of melanoma cells.
基因ID	5454
基因名	POU3F2
Swiss	P20265 (https://www.uniprot.org/uniprotkb/P20265/entry)
别名	BRN2,N-Oct3,OCT7,OTF-7,OTF7,POUF3,brn-2,oct-7,POU3F2,POU3F2 Rabbit pAb,Brain-specific homeobox/POU domain protein 2,Nervous system-specific octamer-binding transcription factor N-Oct-3,Octamer-binding protein 7,Octamer-binding transcription factor 7

产品验证



Western blot analysis of POU3F2 expressed in U-87MG, HepG2, Jurkat using POU3F2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)