

— ABLYBIO, Help Your Research



WWC2 Rabbit pAb

货号: **AYP21797**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	
实测分子量	134kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U20S,Mouse lung
细胞定位	cytoplasm,cytosol
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 160-430 of human WWC 2 (NP_079225.5).
------	---

靶点信息

研究背景	This gene encodes a member of the WW-and-C2-domain-containing family of proteins. Members of this family have two N-terminal WW domains that mediate binding to target proteins harboring L/PPxY motifs, a n internal C2 domain for membrane association, and C-terminal alpha protein kinase C binding sites and class III PDZ domain-interaction motifs. Proteins of this family are able to form homo- and heterodimers and to modulate hippo pathway signaling. [provided by RefSeq, Sep 2016]
基因ID	80014
基因名	WWC2
Swiss	Q6AWC2 (https://www.uniprot.org/uniprotkb/Q6AWC2/entry)
别名	BOMB,WWC2 Rabbit pAb,WWC2,BH-3-only member B,WW domain-containing protein 2

产品验证



Western blot analysis of WWC2 expressed in U2OS, Mouse lung using WWC2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)