— ABLYBIO, Help Your Research

Phospho-EZR-T567/RDX-T564/MSN-T558 Rabbit pAb

货号: AYP21833

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	**WB:** 1:500 - 1:2000
理论分子量	
实测分子量	80kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	PC-12
细胞定位	
纯化	Affinity purification


抗原信息

抗原信息	A synthetic phosphorylated peptide around T567 of human EZR/RDX/MSNEZR (NP_003370.2).

靶点信息

研究背景	The cytoplasmic peripheral membrane protein encoded by this gene functions as a protein-tyrosine kinase substrate in microvilli. As a member of the ERM protein family, this protein serves as an intermediate between the plasma membrane and the actin cytoskeleton. This protein plays a key role in cell surface structure adhesion, migration and organization, and it has been implicated in various human cancers. A pseudogene located on chromosome 3 has been identified for this gene. Alternatively spliced variants have also been described for this gene.
基因ID	7430,4478,5962
基因名	EZR,MSN,RDX
Swiss	
别名	EZR/RDX/MSN,Phospho-EZR-T567/RDX-T564/MSN-T558 Rabbit pAb,EZR,MSN,RDX

产品验证



Western blot analysis of Phospho-EZR-T567/RDX-T564/MSN-T558 expressed in PC-12 using Phospho-EZR-T567/RDX-T564/MSN-T558 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)