

PRDM9 Rabbit pAb

货号: **AYP22659**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	103kDa
实测分子量	103KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse stomach,Rat testis
细胞定位	nucleoplasm,nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 413-525 of human PRD M9 (NP_064612.2).
序列	SQNFPGPSARKLLQPENPCPGDQNQEQQYPDPHSRNDKTKGQEIKERSKLLNKRTWQREISRAFSSPPKGMGSCRVG KRIMEEESRTGQKVNPGNTGKLFVGVGISRIAKVK

靶点信息

研究背景	The protein encoded by this gene is a zinc finger protein with histone methyltransferase activity that catalyzes histone H3 lysine 4 trimethylation (H3K4me3) during meiotic prophase. This protein contains multiple domains, including a Kruppel-associated box (KRAB) domain, an SSX repression domain (SSXRD), a PRD1-BF1 and RIZ homologous region, a subclass of SET (PR/SET) domain, and a tandem array of C2H2 zinc fingers. The zinc finger array recognizes a short sequence motif, leading to local H3K4me3, and meiotic recombination hotspot activity. The observed allelic variation alters the DNA-binding sequence specificity of the protein, resulting in distinct meiotic recombination hotspots amongst individuals and populations. Multiple alternate alleles of this gene have been described.
基因ID	56979
基因名	PRDM9
Swiss	Q9NQV7
别名	PFM6; KMT8B; MSBP3; ZNF899; MEISETZ

产品验证



Western blot analysis of PRDM9 expressed in Mouse stomach, Rat testis using PRDM9 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn