

SARS-CoV-2 Spike ECD Rabbit pAb

货号: AYP22877

产品信息

反应	SARS-CoV-2
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	ELISA WB
推荐浓度	ELISA: 1:20000-1:80000 WB: 1:2000 - 1:6000
理论分子量	
实测分子量	110KDa/180KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Virion membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 11-1208 of coronavirus Spike ECD (YP_009724390.1).
------	--

靶点信息

研究背景	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
基因ID	43740568
基因名	S

Swiss	PODTC2
别名	

产品验证



Western blot analysis of SARS-CoV-2 Spike ECD expressed in 293T using SARS-CoV-2 Spike ECD Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30 ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time : 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn