

DTX1 Rabbit pAb

货号: **AYP22878**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	67kDa
实测分子量	72KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis
细胞定位	cytoplasm,cytosol,nuclear body,nucleoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-190 of human DTX1 (NP_004407.2).
序列	MSRPGHGGGLMPVNGLGFPQNVARVVWWEWLNESRWRPYTATVCHHIENVLKEDARGSVVLGQVDAQLVPYIIDLQS MHQFRQDTGTMRPVRNRYDPSSAPGKGVWWEWENDGGAWTAYDMDICITIQNAYEKQHPWLDLSSLGFCYLIYFNSM SQMNRQTRRRRRLRRRLDLAYPLTVGSIPKSQSW

靶点信息

研究背景	Studies in Drosophila have identified this gene as encoding a positive regulator of the Notch-signaling pathway. The human gene encodes a protein of unknown function; however, it may play a role in basic helix-loop-helix transcription factor activity. [provided by RefSeq, Jul 2008]
基因ID	1840

基因名	DTX1
Swiss	Q86Y01
别名	hDx-1; RNF140

产品验证



Western blot analysis of DTX1 expressed in Mouse testis using DTX1 Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn