

Phospho-MAPK14-T180/Y182+MAPK11-T180/Y182+MAPK13-T180/Y182+MAPK12-T183/Y1845 Rabbit pAb

货号: **AYP22885**

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	
实测分子量	43KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	C6
细胞定位	cytoplasm,cytosol,nucleoplasm,nucleus
纯化	Affinity purification

抗原信息


抗原信息	A synthetic phosphorylated peptide around T180 & Y182 of human MAPK14MAPK11 (NP_002742.3).
序列	MTGYV

靶点信息

研究背景	Mapk14 (phosphoT180/Y182) monoclonal antibody is provided, clone number M139 is a monoclonal antibody prepared from mice, its clone number is M139. Mapk14 is also known as CSBP, CSPB1, Csbp1, Csbp2, Exip, Hog, MGC105413, Mxi2, Prkm14, Prkm15, RK, Sapk2A, p38, p38Hog, p38alpha; The full name of its gene is Mitogen Activated Protein Kinase 14.
基因ID	

基因名	
Swiss	Q15759,P53778,O15264,Q16539
别名	

产品验证



Western blot analysis of Phospho-MAPK14-T180/Y182+MAPK11-T180/Y182+MAPK13-T180/Y182+MAPK12-T183/Y1845 expressed in C6 using Phospho-MAPK14-T180/Y182+MAPK11-T180/Y182+MAPK13-T180/Y182+MAPK12-T183/Y1845 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn