

— ABLYBIO, Help Your Research



TRIM33 Rabbit pAb

货号: **AYP23124**

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	122kDa
实测分子量	150KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,K-562,Rat testis
细胞定位	nucleoplasm,nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 950-1090 of human TRIM33 (NP_056990.3).
------	---

靶点信息

研究背景	The protein encoded by this gene is thought to be a transcriptional corepressor. However, molecules that interact with this protein have not yet been identified. The protein is a member of the tripartite motif family. This motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. Three alternatively spliced transcript variants for this gene have been described, however, the full-length nature of one variant has not been determined.
基因ID	51592
基因名	TRIM33
Swiss	Q9UPN9 (https://www.uniprot.org/uniprotkb/Q9UPN9/entry)
别名	ECTO,PTC7,RFG7,TF1G,TIF1G,TIFGAMMA,TIF1GAMMA,TRIM33 Rabbit pAb,TRIM33,Ectodermin homolog,RET-fused gene 7 protein,RING-type E3 ubiquitin transferase TRIM33,Transcription intermediary factor 1-gamma,Tripartite motif-containing protein 33,KIAA1113

产品验证



Western blot analysis of TRIM33 expressed in MCF7, K-562, Rat testis using TRIM33 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)