

RGA1 Rabbit pAb

货号: **AYP23431**

产品信息

反应	Oryza sativa
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	44.2kDa
实测分子量	44.2kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Rice root,Rice leaf
细胞定位	plasma membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant protein of Oryza sativa RGA1.
------	---

靶点信息

研究背景	This? gene Ubiquitous expression in leaves before flowering (RPKM 48.7), leaves after flowering (RPKM 36 .4) and 6 other tissues. It encodes protein Alpha subunit of G proteins (guanine nucleotide binding). G-alpha has three isomers, guanine nucleotide-binding protein alpha-1 subunit isoform X1, guanine nucleotide-binding protein alpha-1 subunit isoform X2, and guanine nucleotide-binding protein alpha-1 subunit isoform X3.RGA1 is one of the regulators in salt response partially through ROS scavenging, which might be helpful in elucidating salt tolerant mechanisms of heterotrimeric G protein in rice(PMID 30621186). The α -subunit of the rice heterotrimeric G protein, RGA1, regulates drought tolerance during the vegetative phase in the dwarf rice mutant d1 (PMID 27194741).? The G α heterotrimeric G protein subunit, RGA1,? plays an important role in regulating photoprotection and photoprotection of rice (PMID 29216416).
基因ID	4338448

基因名	GPA1
Swiss	Q0DJ33
别名	LOC4338448;guanine nucleotide-binding protein alpha-1 subunit;D1; GA1; GPA1; RGA1; GP-alpha-1; OJ1005_D04.15;Protein Daikoku dwarf;Protein Dwarf1;Os05g0333200;LOC_Os05g26890

产品验证



Western blot analysis of RGA1 expressed in Rice root,Rice leaf using RGA1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn