

— ABLYBIO, Help Your Research



HIBADH Rabbit pAb

货号: **AYP23532**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	35kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HEK-293 cells, mouse ovary tissue, mouse thymus tissue, mouse heart tissue, rat heart tissue
细胞定位	Mitochondrion
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 37-336 of human HIBADH (NP_689953.1).
------	---

靶点信息

研究背景	This gene encodes a mitochondrial 3-hydroxyisobutyrate dehydrogenase enzyme. The encoded protein plays a critical role in the catabolism of L-valine by catalyzing the oxidation of 3-hydroxyisobutyrate to methylmalonate semialdehyde.
基因ID	11112
基因名	HIBADH
Swiss	P31937 (https://www.uniprot.org/uniprotkb/P31937/entry)
别名	HIBADH,NS5ATP1,3-hydroxyisobutyrate dehydrogenase,HIBADH Rabbit pAb

产品验证



Western blot analysis of HIBADH expressed in mouse ovary tissue, rat heart tissue, HEK-293 cells using HIBADH Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)