— ABLYBIO, Help Your Research

MPP2 Rabbit pAb

货号: AYP23564

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	**WB:** 1:500 - 1:2000
理论分子量	46kDa/60kDa/61kDa/63kDa/64kDa/66kDa
实测分子量	46kDa/60kDa/61kDa/63kDa/64kDa/66kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	cytoplasm,cytoskeleton,dendrite membrane,dendritic shaft,dendritic spine,plasma membrane,postsynaptic density
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-230 of human MPP2 (NP_005365.3).

靶点信息

研究背景	Palmitoylated membrane protein 2 is a member of a family of membrane-associated proteins termed MAGUKs (membrane-associated guanylate kinase homologs). MAGUKs interact with the cytoskeleton and regulate cell proliferation, signaling pathways, and intracellular junctions. Palmitoylated membrane protein 2 contains a conserved sequence, called the SH3 (src homology 3) motif, found in several other proteins that associate with the cytoskeleton and are suspected to play important roles in signal transduction.
基因ID	4355
基因名	MPP2
Swiss	Q14168 (https://www.uniprot.org/uniprotkb/Q14168/entry)
别名	MPP2,DLG2,MAGUK p55 subfamily member 2,MPP2 Rabbit pAb,Discs large homolog 2,Protein MPP2

产品验证



Western blot analysis of MPP2 expressed in human esophagus cancer using MPP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)