

# SHMT2 Rabbit pAb

货号: **AYP23718**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	IHC IF/ICC IP
推荐浓度	<b>IHC: 1:50 - 1:100</b> <b>IF/ICC: 1:50 - 1:200:</b> <b>IP: 1:500 - 1:1000</b>
理论分子量	53kDa/54kDa/55kDa
实测分子量	53kDa/54kDa/55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Mitochondrion, Mitochondrion inner membrane, Mitochondrion matrix, mitochondrion nucleoid
纯化	Affinity purification

## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 265-504 of human SHMT2 (NP_005403.2).
序列	PSPFKHADIVTTTTHTKTLRGARSLIFYRKGVKAVDPKTGREIPYTFEDRINFAVFPQLQGGPHNHAIAAVALKQACTPMFREYSLQVLKNARAMADALLERGVSLVSGGTDNHLVLDLRPKGLDGARAERVLELVISITANKNTCPGDRSAITPGGLRLGAPALTSRQFREDDFRRVVDVFIDEGVNIGLEVKSKTAKLQDFKSFLLKDSQRSRLANLRQRVEQFARAFPMPPGFDEH

## 靶点信息

研究背景	This gene encodes the mitochondrial form of a pyridoxal phosphate-dependent enzyme that catalyzes the reversible reaction of serine and tetrahydrofolate to glycine and 5,10-methylene tetrahydrofolate. The encoded product is primarily responsible for glycine synthesis. The activity of the encoded protein has been suggested to be the primary source of intracellular glycine. The gene which encodes the cytosolic form of this enzyme is located on chromosome 17. Alternative splicing results in multiple transcript variants.
------	--

基因ID	6472
基因名	SHMT2
Swiss	P34897
别名	SHMT2; GLYA; HEL-S-51e; SHMT; serine hydroxymethyltransferase 2

产品验证

实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)