

TRAC Rabbit pAb

货号: AYP23957

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	16kDa
实测分子量	31KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse spleen
细胞定位	plasma membrane
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 20-176 of human TRAC (AAH20840.1).
序列	AIELVPEHQTVPVSIGVPATLRCSMKGEAIGNYYINWYRKTQDIQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSDVYITDKTVLDMRSMDFKNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPESCDVKLVEKSFETDTNLFQNL

靶点信息

研究背景	Enables signaling receptor activity. Involved in T cell mediated cytotoxicity directed against tumor cell target and detection of tumor cell. Part of alpha-beta T cell receptor complex.
基因ID	6955
基因名	

Swiss	P01848
别名	IMD7; TCRA; TRA@

产品验证



Western blot analysis of TRAC expressed in Mouse spleen using TRAC Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn